

Safety Data Sheet

pursuant to Regulation (EC) 1907/2006 (REACH)
REACH reg. no. --

Trade name: **Tantalum**
SDS no. SD-TA-02



Revised on 11 Apr. 2011/Issued: Kollnig S.

Version: 1.0/EN

page 1 of 1

1. Identification of the substance and of the company	* Identification of the substance: Ta, Ta2.5W * Use of the substance: products such as for capacitors, heat exchanger *Company: PLANSEE SE, A-6600 Reutte, e-mail: info@plansee.com *Emergency number: phone +43 (5672)600-0
2. Hazards Identification	*Classification: not hazardous material pursuant to Regulation (EC) no. 1272/2008 EC or EC Directive 67/548/EEC *Compact Metal / Alloy with no Risk to Human Health or the Environment.
3. Composition/Information on ingredients	*Summary: tantalum, tantalum (Ta2.5W) additional 2,5 % mass fraction tungsten EC no. tantalum: 231-135-5, tungsten: 231-143-9 CAS no. tantalum: 7440-25-7, tungsten: 7440-33-7 *Hazardous components: none
4. First-aid measures	*Inhalation: no exposure when used as directed. *Skin contact: wash dust off thoroughly with soap and water. * Doctor is needed or advisable: consult a physician after prolonged exposure to dust.
5. Fire-fighting measures	*Suitable extinguishing media: The product itself is not flammable. *Adapt extinguishing measures to surroundings. *Special hazard: increased fire hazard during dust formation. *Protective equipment: breathing protection in the presence of dust.
6. Accidental release measures	*Personnel-related precautionary measures: dust should be suction cleaned directly at source. *Environmental protection measures: no particular environmental protection measures are required.
7. Handling and storage	*Handling: Avoid dust formation. *Use suction cleaning with filter if unavoidable. *Storage: no special measures required.
8. Exposure controls/personal protection	*Exposure thresholds: workplace: tantalum 5 mg/m ³ , tungsten 5 mg/m ³ inhalable fraction, mean daily value *Dust-like emissions: General 5 mg/m ³ *Wastewater emissions: tungsten 5 mg/l *Workplace exposure: install suction cleaning when working with dust and sublimate and use at least one FFP2 respirator. *Environmental exposure: install suction cleaning with filter when working with dust formation. *Do not empty into drains.
9. Physical and chemical properties	*Appearance: solid grey material *Melting point: 2996°C *Density: 16,6 g/cm ³ at 20°C *Solubility: insoluble in water, acids and bases, soluble only in oxidizing acids in combination with hydrofluoric acid.
10. Stability and reactivity	*Conditions to be avoided: none *Substances to be avoided: none
11. Toxicological information	*No known toxic effects.
12. Ecological information	*Ecotoxicity: No known ecotoxic effects. *Mobility: low mobility due to low solubility. *Persistence and degradability: stable inorganic material. *Bioaccumulation potential: no data available.
13. Disposal considerations	*Dispose of residues as metal waste. *Obey national or regional regulations.
14. Transport information	*ADR / RID / ADN / IATA (ICAO) / IMDG: not a dangerous good pursuant to international transport regulations.
15. Regulatory information	*No labeling required. *The exposure thresholds given under item 8 pertain to Austrian legal regulations. *Obey national regulations.
16. Other information	*Above information corresponds to our current state of knowledge However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. *Detailed results of the toxicological and ecotoxicological effects are described in the chemical safety report for REACH registration / Tungsten: REACH reg. no. 01-2119488910--30-0000.